

**AMENDMENT AND PRESENTATION OF CLAIMS**

Please replace all prior claims in the present application with the following claims, in which claims 1, 3-6, 10, 12-15, 19-24, and 28-31 are currently amended.

1. (Currently Amended) A method for managing a plurality of tracked objects, each tracked object associated with a corresponding telemetry device, the method comprising:  
receiving, from a web browser, a request for at least one action to be performed by ~~the~~ at least one corresponding telemetry device; and  
transmitting, to the at least one corresponding telemetry device, a message including information indicating the at least one action, wherein the web browser is configured to display at least one geographical map indication of at least one location of each tracked object.
2. (Original) A method according to claim 1, wherein the at least one action includes instructing the tracked object to perform a tracked object activity.
3. (Currently Amended) A method according to claim 2, wherein the tracked object activity includes ~~at least one of~~ turning a vehicle ignition on, turning the vehicle ignition off, locking a door, unlocking the door, turning on a temperature control system, turning off the temperature control system, turning on a refrigerating control system, ~~and~~ or turning off the refrigerating control system.
4. (Currently Amended) A method according to claim 1, wherein the at least one action includes obtaining data indicating at least one status of the associated tracked object.
5. (Currently Amended) A method according to claim 4, wherein the at least one status is obtained by an Input/Output (I/O) interface of the at least one corresponding telemetry device.
6. (Currently Amended) A method according to claim 4, wherein the at least one status includes ~~at least one of~~ a GeoFence status, a location status, an ignition status of the tracked

object, a locked door status of the tracked object, a battery status, a speed status, ~~and~~ or a tracked object property status.

7. (Original) A method according to claim 1, further comprising:  
receiving, from the at least one corresponding telemetry device, a message including an indication of at least one status of the corresponding tracked object; and  
transmitting, to the web browser, display information including a display indicator of an alert based on the at least one status.
8. (Original) A method according to claim 1, wherein communication with the web browser includes transmission of geographic map information which is preprocessed by a server and sent in an image file with associating data to the web browser.
9. (Original) A method according to claim 1, wherein communication with the web browser includes transmission of information which is preprocessed by a servlet using a Java Object Input/Output Stream and Reflection configuration.
10. (Currently Amended) A display device for managing a plurality of tracked objects, each tracked object associated with a corresponding telemetry device, the display device comprising:  
a web browser configured to process a request for at least one action to be performed by ~~the~~ at least one corresponding telemetry device, to display at least one geographical map indication of at least one location of each tracked object, and to transmit information for inclusion in a message, for transmission to the corresponding telemetry device, the message including information indicating the at least one action.
11. (Original) A display device according to claim 10, wherein the at least one action includes instructing the tracked object to perform a tracked object activity.
12. (Currently Amended) A display device according to claim 11, wherein the tracked object activity includes ~~at least one of~~ turning a vehicle ignition on, turning the vehicle ignition off,

locking a door, unlocking the door, turning on a temperature control system, turning off the temperature control system, turning on a refrigerating control system, ~~and~~ or turning off the refrigerating control system.

13. (Currently Amended) A display device according to claim 10, wherein the at least one action includes obtaining data indicating at least one status of the associated tracked object.

14. (Currently Amended) A display device according to claim 13, wherein the at least one status is obtained by an Input/Output (I/O) interface of the at least one corresponding telemetry device.

15. (Currently Amended) A ~~method~~ display device according to claim 14, wherein the at least one status includes at least one of a GeoFence status, a location status, an ignition status of the tracked object, a locked door status of the tracked object, a battery status, a speed status, and a tracked object property status.

16. (Original) A display device according to claim 10, wherein the web browser is further configured to receive, from the at least one corresponding telemetry device, an indication of at least one status of the corresponding tracked object, and to display information including a display indicator of an alert based on the at least one status.

17. (Original) A display device according to claim 10, wherein communication with the web browser includes transmission of map information which is preprocessed by a server and sent in an image file with associating data to the web browser.

18. (Original) A display device according to claim 10, wherein communication with the web browser includes transmission of information which is preprocessed by a servlet using a Java Object Input/Output Stream and Reflection configuration.

19. (Currently Amended) A computer-readable medium carrying one or more sequences of one or more instructions for ~~prioritizing transmission of messages from a~~ managing a plurality of tracked objects, each tracked object associated with a corresponding telemetry device, the one or more sequences of one or more instructions including instructions which, when executed by one or more processors, cause the one or more processors to perform the steps of:

receiving, from a web browser, a request for at least one action to be performed by ~~the~~ at least one corresponding telemetry device; and

transmitting, to the at least one corresponding telemetry device, a message including information indicating the at least one action wherein the web browser is configured to display at least one geographical map indication of at least one location of each tracked object.

20. (Currently Amended) A computer-readable medium according to claim 19, wherein the at least one action includes instructing the associated tracked object to perform a tracked object activity.

21. (Currently Amended) A computer-readable medium according to claim 19, wherein the tracked object activity includes ~~at least one of~~ turning a vehicle ignition on, turning the vehicle ignition off, locking a door, unlocking the door, turning on a temperature control system, turning off the temperature control system, turning on a refrigerating control system, ~~and or~~ turning off the refrigerating control system.

22. (Currently Amended) A computer-readable medium according to claim 19, wherein the at least one action includes obtaining data indicating at least one status of the associated tracked object.

23. (Currently Amended) A computer-readable medium according to claim 22, wherein the at least one status is obtained by an Input/Output (I/O) interface of the at least one corresponding telemetry device.

24. (Currently Amended) A computer-readable medium according to claim 23, wherein the at least one status includes ~~at least one of~~ a GeoFence status, a location status, an ignition status of the tracked object, a locked door status of the tracked object, a battery status, a speed status, ~~and~~ or a tracked object property status.

25. (Original) A computer-readable medium according to claim 19, further including instructions for causing the one or more processors to perform the steps of:  
receiving, from the at least one corresponding telemetry device, a message including an indication of at least one status of the corresponding tracked object; and  
transmitting, to the web browser, display information including a display indicator of an alert based on the at least one status.

26. (Original) A computer-readable medium according to claim 19, wherein communication with the web browser includes transmission of map information which is preprocessed by a server and sent in an image file with associating data to the web browser.

27. (Original) A computer-readable medium according to claim 19, wherein communication with the web browser includes transmission of information which is preprocessed by a servlet using a Java Object Input/Output Stream and Reflection configuration.

28. (Currently Amended) A method for managing a plurality of tracked objects, each tracked object associated with a corresponding telemetry device, the method comprising:  
transmitting, to a user, display information for displaying interactive elements on a display device;  
receiving, from the user, information associated with at least one status of at least one of the tracked objects; and  
transmitting, to the telemetry device corresponding to the at least one tracked object, a message including the information associated with the at least one status,  
wherein the at least one status is ~~at least one of~~ monitored ~~and~~ or controlled by at least one processor included in the telemetry device corresponding to the at least one tracked

object, and wherein the display device is configured to display at least one geographical map indication of at least one location of each tracked object via a web browser.

29. (Currently Amended) A method according to claim 28, further comprising:  
determining whether the at least one tracked object includes a status of in range of a wireless service provider; and  
transmitting the message to the telemetry device corresponding to the at least one tracked object if the at least one tracked object includes a status of in range of a the wireless service provider.

30. (Currently Amended) An apparatus for managing a plurality of tracked objects, each tracked object associated with a corresponding telemetry device, the apparatus comprising:  
means for transmitting, to a user, display information for displaying interactive elements on a display device, wherein the display device is configured to display at least one geographical map indication of at least one location of each tracked object via a web browser;  
means for receiving, from the user, information associated with at least one status of at least one of the tracked objects; and  
means for transmitting, to the telemetry device corresponding to the at least one tracked object, a message including the information associated with the at least one status, wherein the at least one status is ~~at least one of~~ monitored ~~and~~ or controlled by at least one processor included in the telemetry device corresponding to the at least one tracked object.

31. (Currently Amended) An apparatus according to claim 30, further comprising:  
means for determining whether the at least one tracked object includes a status of in range of a wireless service provider; and  
means for transmitting the message to the telemetry device corresponding to the at least one tracked object if the at least one tracked object includes a status of in range of a the wireless service provider.